G R S IX 5]

Previous references

Preserve for 5 years

File No. 5-3-18

1918-19

(Mun.)

Serial Nos 2, 5, 12, to 15

Later references

Jul 69-22

(Sls. 8 & 13)

GENERAL AND REVENUE SECRETARIAT

---

to

Serial Nos. 2, 5, " 12 & 15

Part B for May 1920

SUBJECT

Rules and Bye laws under the Municipal Regulations of 1906

---

1) From the D.C. Chilaw dt C 17 dt 22-12-1918
Submits for sanction draft bye laws framed by the Davagere Mal Council under Section 48(l) (xx) of the Municipal Regulations for regulating supply for water & Drainage from the Nawasamthenaya water works

2) To the D.C. Chilaw dt
" Chief Engineer
Comptroller & Govt Agent
No 22-4 & 17-5-2 cds

WD 799—G I B—5,000—7 11 18

Mr. Alwis Rabot 16/11/20 (Asst) Approves with the bye laws drafts

G R S III—1] 1918:19

GENERAL AND REVENUE SECRETARIAT

(Jud)

NOTES

File No 53-19

FILE HEADING

Rules and Bye-laws under the Municipal Regulation of 1906

From The Dy Comm^r, Chitaldrug Dist.

No C.170 Jud of 18-19 Dated 22.12.18 Received 28.12.18

Diary No 8995 | Enclos 23 Spare Copies | Serial No 2

BRIEF ABSTRACT OF LETTER

Submits for sanction draft Bye-laws framed by the Davangere Municipal Council under Section 48 (ll) & (m) of the Municipal Regulation for Regulating supply of water to Davangere town from the Bhadravathi Reservoir.

NOTES AND ORDERS

(1) The draft bye-laws seem to have been based partly on the Bangalore City Water Supply Rules and partly on the Govt's Model Bye-laws of Bombay. They prescribe the terms on which house connections may be permitted and lay on the Davangere town

WD 1232—GPE—20,000—18-11-18

Serial No.

under Section 71 (1) (g) and is provisn of the Mund Regulation.

2) Bye-law No. 1 clause (a) (c) (d) are prohibition against interference water work. This corresponds with bye-law No. 16 of ours model bye-law and also with the rules sanctioned by Govt under Section 176(d) of the Regulation in Connection with the Bangalore city Water Supply. Interference to water Supply plant in public streets is — punishable under Section 121 of the Regulation

Note No. 7675/Mel 392-07-5 dt 7th June 1913.

3) Bye law No. 2. reservation of water for bona fide domestic purpose:- This corresponds with Bangalore city rule No. 3. Some verbal alterations have been made in pencil in the draft so as to make it conform to Bangalore rule. If approved, this will be retained

4) Bye-law No. 3:- This corresponds with ours bye-laws Nos 19 & 22 and is permissible under Section 133(1) of the Regulation.

5) Bye-law No. 4 - This may be clubbed with bye-law No. 1 as clause (d), since it is also an act of interference with the

G R S III-2]

General and Revenue Secretariat | Mel File No 53 of 1917

Serial No.	
	with the distributory appliances of water works.
	6) Bye-law No 5 :- This corresponds with ours bye-law No 22 and may stand.
	7) Bye-law No 6 :- ours bye-law No 8 provides for the general stoppage temporarily of private connections. The Municipal Council can stop the supply as it amounts to "turning off" water as stated in Section 48 of (1). The word "temporarily" is inserted after the word "stop" in the draft bye-laws.
	8) Bye-law No 7 -- This seems to have been copied from rule 22 of the Bangalore city rules and may stand.
	9) Bye-law No 8 -- This is a copy of rule 7 of the Bangalore city rules. Advance of Rs 25/- is provided to correspond with the attachment fee prescribed in cl (a) thereof. may stand.
	10) Bye-law No 9 -- This is a copy of B of rule No 5 with suitable alterations so as to applicable to the Davangere city and may stand.
	11) Bye-laws Nos 10 & 11 These may conveniently under Section 46 (1) also, as they have already published as bye-laws once before

NOTE—Contn sheet

Serial No.

inviting public criticisms under Section 48 (2) and as no objections are reported to have been received as in respect of the same, there is it is not necessary to publish them for public opinion as duly under Section 46(2). It is sufficient if the Dy Comm is requested, while sanctioning these draft bye-laws, to include these items in the Schedule of taxes which is in force in the Cantonment namely

(1) Bye-Laws No. 12 This is a copy of Bangalore rule 20 and corresponds also to certain extent with bye-law No. 7 of ours bye-laws

(2) Bye-Laws No 13 This is a copy of Bangalore rule No. 24 without the further Conditions thereon be imposed.

(3) Bye-Laws No 14. This is permissible under Section 48(w) of the Regulations.

(5) It is submitted that Cantonment Water works are said to be still under the Control of the Public Works Dept. as

(6) If approved, the Chief Engr may be consulted 4 & as to the suitability of the draft bye-laws for adoption

Submitted for orders.

(7) Please put up a copy of ours model bylaws each

Idea asked the remarks & bring up in file as for Secretary's return the bylaws he should have one then

MK 19/3

L-1

NOTE—Contn sheet

17.2.19

19/2/19

WD A 1789 - GPB - 60 000 - 0-8

G R S III 2]

11254

5

General and Revenue Secretariat | Jul File No. 53 of 1918

Serial No	
5	
5	Letter of C. 178 Jul J 18-19 13 2 19 from the Dy Commr, Chitaldrug Dt. submits Davangere Tmnl President's letter of 143 & 3 12 18 with its enclosures in the matter of giving water connection to the Ginning Factories and the dwelling house of Mr Brahmappa Javanappanavar, Merchant and Agent, Davangere and requests early sanction to the draft bye-laws relating to Water Supply to Davangere town, which is pending before Govt.
	The draft bye-laws referred to above was submitted to Govt Secy on 10 2 19.
	10 2 19

NOTE—Contn. sheet

P.W. & 1789—GPB—60,000—20-8-18—S.

General and Revenue Secretariat | Vol File No 53 of 1917 | 6

Serial No

I have examined the byelaws and compared them with the rules in operation in the Bangalore city. The Chamarajendra water works for Bangalore city are under the control of the Govt and belong to Govt The rules therefore are somewhat elaborate and the Bangalore mel cl have very little voice in the matter In Davangere, though the works are managed by the P W D, they seem to be the property of the mcity who pay for the annual maintenance charges The mel cl have therefore a right to frame byelaws under sec 46 (l)

As regards the byelaws themselves the following short notes are submitted for consideration and orders - Firstly, the legal aspect :- The byelaws are purported to have been framed under Section 46 clauses (l) & (m) The addition of cl (m) is wrong. cl (m) relates to Public baths and bathing places established by mcities and has nothing to do with Conservation of water supply - This will have to be omitted Again, it is somewhat doubtful whether byelaws nos 3 to 5 can come under Section 46 (l) Though byelaws numbers 1 to 4 can be brought under Sec 176 (d) of the mel Regn there is no need for this S the mel council owns the water supply plant and is quite competent to frame its own byelaws In Bangalore rules had to be framed

It might be brought under Conservation by-laws under Municipal laws

Note—Contn sheet

S III 2]

General and Revenue Secretariat. | File No 53 of 1918

Serial No

the delay on this file as owing to work of an important and to be kept pending for that reason

WK 9.4.19

Sec 76 cl (1) (b) because the water supply belongs to Govt

2) The opinion of the Govt advocate may if necessary be obtained in respect of the above points.

3) As regard the general features of these bylaws the following points require attention.- In bylaw No (2) power is secured by the Municipal Council to grant water connections connections in the case of irrigation for gardening purposes etc whether the present reservoir and the arrangements for the water supply for the town can meet such demands is a matter for consideration The Prod who manage the Plant have to be consulted in the matter Similarly bylaw no 11 states that meters will be fixed for supply of water to Factories and Presses whether water can be given for industrial purposes is also a point on which the Prod will have to give their opinion The chief may if approved be consulted unofficially - The bylaws seem to have been framed to facilitate the realisation of the taxes named (in connection Revenue)

WK 9 4 19

Dewan Bahadur Municipal Engineer, Water supply proposals will be in case of Industrial Concerns are not supplied with Water

Vide "rules for Municipal Councils"

4) (Temporary member)

bm 12 4

4101 16 4 19

5) The Municipal Council may grant connections on the Chief Engineer's opinion being approved

WK 9/4 bm

NOTE—Contn sheet

8935

General and Revenue Secretariat	nl File No 53 of 1918

	Serial No	
2-4-1918		Forwarded with compliments to the Chief Engr.
3-5-19		for favour of remarks & early return.

By order
A Kisanchand
for Secretary

29 4 19

Not

[R S III-2]

General and Revenue Secretariat

File No 63 of 1918

Serial No

Returned, with compliments, to the Revenue Secretary, with letter No. 683 dated 25th June 1919 from the Executive Engineer, Water Supply Division.

2. The draft bye-laws may be modified as proposed by the Executive Engineer

Note papers appended to this page.

FOR CHIEF ENGINEER OF MYSORE

18 AUG 1919

NOTE—Contn. sheet

W.M.) Please keep this early

Submitted
25/7/19

The report called for from the Superintending Engineer, Southern Circle, has not yet been received. He has been reminded in the matter on the receipt, the question will be considered and report sent up to Govt

Record for the present.
14/9

From
The Executive Engineer,
Water Supply Division.

To
The Chief Engineer of Mysore,
Bangalore.

Dated Bangalore 25th June 1919.
Despatched 27
Received
General No 183
No

Enclosure No 1

Sir,

With reference to your No. 6428 dated 14/5/19 forwarding a copy of the draft bye-laws framed by the Davangere Municipal Council relating to the Water Supply to the town of Davangere from --- Narasimharaja Water Works, for my opinion I have the honor to report as follows:-

2. In para 7, the words " Executive Engineer, Water Supply Division" may be inserted instead of the words " The President of the Municipality", since the management of the Davangere Water Works is not yet taken over by the Municipality it may not be possible for this office to give enough notice to the President before repairs are taken up.

3. Para 10. The Municipality seems to think that the consumption in a house is regulated by the size of the pipe laid therein. They propose to charge Rs. 1-8-0 a month for ½" connection and Rs. 2/- a month for ¾" connection. There is no meter

meter proposed to gauge the consumption in the houses. The proposal of the Municipal Council to charge ₹. 1-8-0 or ₹. 2/- irrespective of the consumption in the house seems to be irrational. The council has probably proposed this as to avoid the cost of metering every house. It is true that the cost of meters has gone up; but, I am afraid the council cannot do without them.

4. The cost of pumping 1000 gallons of water into elevated reservoir at Davangere is Re. 0-7-0 as calculated on the Annual Maintenance charges for 1917-18.

5. The houses for which connections are given may fairly be charged at Re. 0-8-0 per 1000 gallons so long as the water is used for domestic purposes.

6. The by-laws may be altered as per enclosed copy.

I have the honor to be,

Sir,

Your most obedient servant,

S. Ramaiah

Executive Engineer,

Water Supply Division.

KKI/?.

G R S III-4

General and Revenue Secretariat | hl File No. 53 of 1919

Serial No

Submitted with the opinion of the Chief Engineer.

The Davangere Municipal Council has proposed only 12 bye laws out of those of the Bangalore City Police and the Chief Engineer now suggests the addition of 10 more therefrom for the Davangere Police as per enclosed copies of the bye laws received by him from the Executive Engineer of the water supply division & that also as an enclosure to the Hon. Resident there 10 bye laws generally corresponding to bye laws 10 to 19 of the Bangalore City

A copy of the letter of the Exec Engineer that supply division and the draft bye laws by him may be sent to the Davangere Mal Council and their opinion obtained as regards their bill-collectors & also the additional rules included in the bye laws.

5/9/19

Second member [illegible] the Municipality 6/9/19 may be consulted

1202 6.9.19

5/9/19

GAE- Contract 6

R. S III 2]

General and Revenue Secretariat | nil File No. 53 of 1917/18 | 11254 | 13

Serial No

10) draft letter with reference to the last two items above.

11) Done 18/9/19

11 | 12 | Secy. Chittagong. no R 4084 of 22.9.19 forwards copy of letter no 6833 of 25.6.19 from the Executive Engineer, Water supply Division re water supply bye laws for the Municipal Town, for the submission of views of the Municipal Council on the revised bye laws now sent

12 | From the same Office. no Ref. 178 of 19-20 of 6.1.20 Returns the revised bye laws together with the Connected papers, & the Municipal Resolution thereon & states that the Council have approved of the said bye laws with certain modifications.

"modifications proposed by the municipal

~~following~~ 3 subjects—

(1) metering of house Connections (Revised bye law 12) is to be restricted to factories only for the present. The Executive Engineer wants to have it for houses as well for reasons assigned by him in para 3 of his address to the Chief Engineer. If the municipal Council's resolution on this point is to be adopted, the revised bye laws may require necessary alt

(2) Collection of water rate, &c (Revised bye-13) — Since the municipal Council have not raised any objection to retain the words "Exec Engineer" in revised bye laws nos 7, 9, 11, 18, 19 & 2

G R S III 2]

General and Revenue Secretariat | ML File No 53 of 1918

14

Serial No

it is not clear why the municipal Council wish to have the work of Collection being entrusted to them ML instead of to the Executive Engr.

(3) Infliction of punishment (Revised bye laws 23) Though the resolution of the municipal Council is in accordance with Sec 161 of the Municipal Regn, similar provision is made in other sanctioned bye laws relating to other Municipalities

vide no 9675/ml 382-07-5 dy 7-6-1913

33) It is also a point for orders if bye-law no. 11 of the Bangalore ML is also to be adopted as an additional bye-law, as no provision is made therefor in the revised bye laws no 12 as regards free allowance of water to house-Connections.

14 17/1/20.

ML 17/1 34) Whether meters should be installed or not in houses is a point for orders.

When the municipality take over the management, there is no reason why they should not look after the collection work under Sec 161 ML Regn. It is the

P

Shd may be considered after it is decided to install meters in case of house connections

NOTE—Contn sheet

5060

G R S III-2]

General and Revenue Secretariat

Mil File No 53 of 1916

15

Serial No

Matters who will deal with the instructions of the by-laws Even though this point may not be specifically mentioned
If the Mlty like access to manage ment it will be necessary to give the Pres[t] or the Engineer Offr. of the Mlty the powers now reserved to the Exec Engr in the draft by-laws read from the Ch Engr
2nd Member)

35470
23-1-20

35) It is necessary to consume the consumption of water that meters be fixed in each house.

36) The collecting water rate may be left to the Municipality. Maintenance & Conservation will have to be maintained by the engineering dept:

37) The punishment shd be left to Magistrates only. It is inclusive to make provision for compounding municipal offences by amending the Regulation. Steps are being taken in the legislative branch.

Note—Contn sheet

26/1

G R S III 2]

General and Revenue Secretariat | ml File No. 53 of 1918

5060 16

Serial No

38) The bye-laws modified in accordance with the orders of the Member are put up and may be approved

39) I would suggest "by any wrongful act" in place of "wilfully or negligently" in Rule 1

40) No provision has been made for the free allce of water to houses - If so ordered, Rule 11 of the Bangalore Rules may be incorporated ~~Perhaps~~ perhaps it is best to let the Municipal Council take the lead in this matter - But Rule 12 refers to the free allce

The paragraph is wrongly numbered by the typist. It should be numbered 40 & the previous paragraph 39. The present paragraph may remain as 41

3815 31-1-20

2nd Member - 31-1

41) Yes - the attention of the Municipal Council might draw when necessary & they might asked to incorporate a rule & resubmit the bye laws as per

2/2

42) Submitted with a draft

NOTE—Contn. sheet

12/2 11/2

43) Issue but send copy only of the bye laws as finally revised & copy of Rule 11 in this office 11-2

5 [illegible]

17

G R. S III 2]

General and Revenue Secretariat | Mk File No 53 of 191 8

Serial No.	
12	To the D. C. Chakdara No 2454 & 19-2-20 Pl. A draft rule has proposed has been made in the bye-laws for free allowance of water to houses as per rule 81 of the Manufacture City and bye-laws & request been to incorporate one similar to that in the bye laws & remark to [illegible] [illegible] de From the same Spen no 1278 dtd 19-2-20 to 3 9 & 20 State in reply to 12 above that the revised bye laws were placed before the Manl. Com Cl of Darangers who are of opinion that no water meters need be fitted for a Year to house Connections and that Special water rate should be levied for such Connections & that they have also proposed con- tam modification to bye-law no 22 & that he is not in favour of the Mcty dispensing with meters for the reason given.

The Deputy Com[r] submits along with his present Communication, a draft of the bye-laws in the light of the above modifications received from the Presdt of the Darangan Mcty

Sub[d] for orders

[illegible] 17/4/20

Note—Contn. sheet

G R S III-2]

General and Revenue Secretariat | ml File No 53 of 1918

1392

18

Serial No.

(45) ... for orders of the draft ... the amendments proposed by the Mty. may be approved

(46) ... with ... refer to para 41

Secy Member

19-4-20

6665-75-

(47) If wastage of water is to be checked to any extent a provision of meters is necessary but that provision has made for the fixing of meters when supply ... for non domestic purposes is intended so far it is all right As regards house connection fixing of meters may be deferred hence for in deference to the wishes of the Mpl Ct If ... not known if meters are yet available in large numbers at moderate prices. They were not a year ago The limit imposed upon the no of taps per a house & the rate proposed for water connections seem to be on table & may be accepted

Recd

21-4-20

(48) draft G.O is put up

28/4/20

Issued

7-4-20

Note—Contin. sheet.

G R S III-2]

General and Revenue Secretariat

7382

W(File No 53 of 1918

Serial No	
1	To The D. C Chittagong District The Chief Engineer - in Mysore The Comptroller to Govt No 1302-4 dated 17.5.20. Approves with certain modifications the bye-laws refd to in R/4

Note—Contin. sheet.

REVENUE.
28 DEC 1918
D8795
W 550-18-2.

Office of the Deputy Commissioner,
Chitaldrug District.
Dated Camp Davangere, 22nd December 1918.

Zahiruddin Mecci Esquire B.A ,
Offg Deputy Commissioner,
C H I T A L D R U G

To Ramaswamaiya Esquire B.A ,B L ,
Secretary to the Government of
H. H. the Maharaja of Mysore,
Revenue Department, Bangalore

I have the honor to submit herewith letter No 92 dated 15th tober 1918 from the President Davangere Municipality together h its enclosures i,e, the draft byelaws in English and Kannada ed by the said municipal council relating to the Water Supply the town of Davangere from Narasimharaja water works

As it is reported that no objections nor suggestions were eived from the townspeople, I recommend that the draft bye-laws approved Tha notice published in the town is herein enclosed

I have the honor to be
S I R,
Your most obedient servant,

Offg Deputy Commissioner,
Chitaldrug District

S.V

Ref 3-12

WD 0488—GPB—3,00,000—21 7-17—G.

1867

1918-9

From The Deputy Commissioner
Chitaldrug district

To B Ramaswamaya, Esqre B.A.
Secretary to Government
H.H. the Maharaja Mysore

Dated Revenue department
Bangalore

Despatched 23rd December 1918

Received

General No Ref on C 178 and 3918-9
No.

Enclosure No 23 sub 2 4 DEC 1918

Submitting the draft bye laws
of Davangere municipality
regulating the water supply
from Nanoor tank to water
works and selecting Sanction
of Government for the same

191—191

From

Ananda Rao S Sirsi, Esq,
B. A., L. B.,
President,
DAVANGERE MUNICIPALITY

To

B. Ramaswamaiya Esquire, B.A., B.L.

Secretary to the Government of
H.H. the Maharaja of Mysore,
Revenue Department.
Bangalore

Through the Deputy Commissioner,
Dated 29/9/18 Chitaldrug District.

Despatched 15/10/18

Received

General No 92
No

Enclosure No 22 as per margin

S i r,

In submitting herewith the Draft Bye-laws, in English and Kanada, framed by the Municipal Council, Davangere under section 48 Clause l & m of the Municipal Regulation VII of 1906, I have the honor to state that the same were duly published in the Town and also in " Ratnakara " a weekly journal of this District, inviting objections and suggestions from the inhabitants of the place.

2. As no objections nor suggestions were received from the Townspeople, the Council resolved in their special meeting held on 26th September 1918 that the draft bye-laws may be sent for sanction of Government (vide copy of the resolution enclosed)

3. The notices duly served in the town in this connection are also enclo-

herein.

4. I request that the sanction of Government may kindly be obtained to the draft bye-laws as proposed by the Municipal Council.

I have the honor to be,

Sir,

Your most obedient servant,

PRESIDENT,

Davangere Municipality.

Office of the Deputy Commissioner,
Chitaldrug District

12 FEB 1919
D 11254
from Ml 53-185

Dated Chitaldrug, 13th February 1919

M. Zahiruddin Mecci Esq , B.A.,
Offg Deputy Commissioner,
C h i t a l d r u g.

To

B. Rameswamiya Esq., B.A ,B L.,
Secretary to the Government of Mysore,
Revenue Department. B a n g a l o r e.

Sir,

I have the honour to submit herewith Davangere Municipal President's letter No 143 dated 3rd December 1918 with its enclosures, in the matter of giving water connection to the Ginning Factories and the dwelling house of Mr Sranmappa -- Tavanappanavar, Merchant and Commission Agent, Davangere and to state that the draft bye-laws relating to its water supply -- framed by the said Municipality were submitted to Government with my No C.178 Ml.of 18-19 dated 23rd December 1918 for approval.

I request that the draft bye-laws referred to may kindly be approved early

I have the honor to be,
Sir,
Your most obedient servant,

Asst Commissioner
For Deputy Commissioner,
Chitaldrug District
(absent from Station)

N.S.R.

WD 0429—GPB—3,00 000—21 7-17—L

1918 19

From

M. Thambiah Meera Esqr.
Offg Deputy Commissioner.

To

Central Army District

O. Ramaswamaya Esqr. B.A. B.L.
Secretary to the Government of Mysore

Dated 15th February 1919

Despatched 15 2 19

Received 17 FEB 19

General No Reform C 178 and of 18-2-19
No.

58875 Enclosure No 2

Re

Laying of water connection to the Quarters and the dwelling house of Mr. Bhavaniappa Javaniappanavar, Merchant and Commission Agent, Dawangere

---



1911—1911

From

Mahomed Obeidulla, Esq.,
President,
DAVANGERE MUNICIPALITY

To
B. Ramaswamaiah Esq., B.A., B.L.,
Secretary to the Government of
H.H. the Maharaja of Mysore,
Revenue Department,
Bangalore.

Through:-
The Deputy Commissioner,
Chitaldrug District.

Despatched 3-12-18

Received

General No 1643

No

Enclosure No 1

Sir,

In submitting herewith a copy of letter No 1132 dated 6th November 1918 from Mr. Brahmappa Thavanappanavar Merchant and Commission Agent Davangere, stating that the required quantity of water, for working the Ginning Factories is not expected to be supplied from the local wells and requesting that arrangements be made for giving Water Connection to his Factory and also to his dwelling house, I have the honor to state that the Draft Byelaws framed in this connection by the Municipal Council have been submitted for the sanction of Government with this Office letter No. 92 dated 18th October 1918.

Before giving such connections it is necessary that the Byelaws have to be sanctioned and I therefor,

therefore, request that early sanction of Government may kindly be obtained to the Draft Byelaws.



I have the honor to be,

S i r

Your most obedient servant,

P r e s i d e n t

H.K.R. Davangere Municipality.

Copy of letter No. 1132 dated 6th November 1918, from Mr. Brahmappa Shivanappanavar Merchant & Commission Agent Davangere -

To,

The President,

Davangere Municipality,

D A V A N G E R E.

W A T E R S U P P L Y.

I beg to state that on account of failure of Monsoons this year, our Local wells are not in a position to supply the required quantity of water. The Ginning Factories have to run as the season has begun. The required water for our Boilers is not available.

The question of supplying water by private connections from the Water Supply Reservoir has been pending in the Municipality and perhaps Government sanction may have been obtained by this time.

I shall therefore thank you to kindly intimate me and also permit the laying of Pipe Lines to Our Factory (Sri Mahalakshmi Ginning Factory and also to my dwelling house. The required Metre--for the Factory feeding Line has been bought and the required materials are all ready.

I solicit the favour of your Orders in this connection,

" C o p y.

President.

1911 నుండి తిరుగుబాటు జిల్లా గడీద దావణగిరి చార్జ్
స్పెషల్ మెజిస్ట్రేట్ అధికారం కింద నియమించబడ్డాడు

(పి) ఎచ్.డబ్ల్యు

I E H Thomson Esquire

Sub-Division officer, Davangere ———— కాలం

Ex-officio members

1 అసిస్టెంట్ కమిషనర్ - దావణగిరి కార్యాలయం — కాలం

2 డిప్యూటీ సూపరింటెండెంట్ - దావణగిరి — కాలం

Non official members

1 శ్రీయుత — పురుషోత్తమరావు — ———— కాలం

2 " రామాంతరావు ———— " —

3 " నరసింహస్వామి ———— " —

4 " టి-బదవంతరావు ———— " —

5 " బసం చెన్న బసవరావు ———— " —

6 " జి-నరసింహదాసరావు ———— " —

7 " ఆర్ రంగాచారి ———— " —

8 " బి-బడదూర్ క్రిష్ణస్వామి ———— " —

9 " బసం-కుటిన్హో రావు ———— " —

10 " వి-బలరామ్ రావు ———— " —

11 " బంట్-నల్లారావు ———— " —

పోలీసులు

1 నాయుడు టి బసం-పోలీసు సూపరింటెండెంట్ ———— కాలం

2 " బసం-పోలీసు ఇన్స్పెక్టర్ - "

3 " బసం-ఇన్-స్పెషల్ ఆఫీసర్ - "

Subject No I

Letter No 683 dated the 26th June 1919 from the Executive Engineer, Water Supply Division, to the Chief Engineer of Mysore, Bangalore.

With reference to your letter No. 6428 dated the 14th May 19 forwarding a copy of the draft bye-laws framed by the Davangere Municipal Council relating to the water supply to the Town of Davangere from Narasimharaja Water Works, for my opinion, I have the honor to report as follows -

2. In para 7, the words "Executive Engineer, Water Supply Division" may be inserted instead of the words "The President of the Municipality", since the management of the Davangere Water Works is not yet taken over by the Municipality, it may not be possible for this office to give enough notice to the President before repairs are taken up

3 Para 10 The Municipality seems to think that the consumption in a house is regulated by the size of the pipe laid therein They propose to charge Rs. 1-8-0 a month for ¾" connection for ½" Connection and Rs. a month There is no meter proposed to gauge the consumption in the houses. The proposal of the Municipal Council to charge Rs- 1-8-0 or Rs 2/- irrespective of the consumtion in the house seems to be irrational The Council has probably proposed this to avoid the cost of metering every house It is true that the cost of meters has gone up, but, I am afraid the Council cannot do without them

4. The cost of pumping 1,000 gallons of water into elevated reservoir at Davangere is Re 0-7-0 as calculated on the annual maintenance charges for 1917-18

5 The houses for which connections are given may fairly be charged at Re 0-8-0 per 1,000 gallons so long as the water is used for domestic purposes

6 The bye-laws may be altered as per enclosed copy

"C O P Y"

To Secretary to Government,

Public Works Department

Office of the Deputy Commissioner,

Chitaldrug District.

Dated Chitaldrug, 6th January 1920.

DN 5660
do - 6 Jan.
1920

G. Venkata Rao Esquire B.A.,

Deputy Commissioner,

C H I T A L D R U G.

Mr. 53-1-2-12

B. Ramaswamaiya Esquire B.A.,B.L.,

Secretary to the Government of

H. H. the Maharaja of Mysore,

Revenue Department, Bangalore.

Sir,

Adverting to your letter No.R.4034/Ml.53-1a-4 dated 22nd September 1919 in the matter of the water supply byelaws for the Kolar town, I have the honor to state that the revised byelaws received with your letter were placed before the municipal council in original on 21st December 1919, when a resolution was passed to the effect that the byelaws may be adopted subject to the following modifications:- (1) That no metres to be installed for the present except for factories. (2) that the water rate &c to be collected under these byelaws should be collected by the municipality. (3) The punishment for the violation of any of these byelaws should be imposed by a Magistrate but not departmentally.

The entire file of papers received with your letter is herewith resubmitted along with the extract from the resolutions of the municipal council dated 21st December 1919.

I have the honor to be,

S i r,

Your most obedient servant,

Deputy Commissioner,

Chitaldrug District.

S.V.

17413

WD L41—GP2—50 000—29-9-19—L

1919-20

From The Deputy Commissioner
Chitaldrug District

To The Secretary to Government
Revenue Department

Dated 7-1-7
Despatched 7-1-7
Received
General No Reg 178 of 19-20
No.
Enclosure No. Part I Land file

Stating that the
Municipal Council of
Harihar has
passed a resolution
that the proposed
water supply Byelaws
may be adopted
subject to certain
modifications which
should be left
to the

Index

Notice served in the form of warrant by [illegible]

Issuing inspector —

2	Draft bye-laws enclosed to the notice above — (Kannada)	2—3
3	—do— English —	4—5
4	Paper cutting of Vedavathi Reservoir dt 2nd Sept 96. (Kannada)	6
5.	Yadavi DO dt 27/9/96 to the inspector with price unit reply Yadavi No. 345	7
6.	Notice served upon the Secretary Hagari Canal Authority	8
7	Draft bye-laws enclosed to the notice above	9-10
8	Draft bye-laws English copy (Xerox)	11—13
9	— Do — Kannada copy (Xerox)	14—20
10	Financial Resolution Extract dt 22/7/68	21
11	—do— 26/9/68	22

Total twenty two

M. Bhimakar
Addl Clerk

సీసం ప్రాజెక్ట్ -

దొంగలు పోలీసులకు సహకరించకపోవడం — 21

పలువురి అందజేసిన ఫిర్యాదుల మేరకు పోలీసులు చేపట్టిన

నేరములు రుజువు చేయుటకు సాక్ష్యాధారములు సేకరించుట కొరకు

(2) ఈ విధంగా ఎవరైనా వ్యక్తులు తమ ఇష్టానుసారం ఇతరుల ఆస్తులను

(3) ప్రజలకు ఇబ్బందులు కలిగించే విధంగా ఎవరైనా వ్యవహరించినట్లయితే

ఇట్లు

Signature

ఇట్లు

Signature

ఇట్లు

Signature

(3)

4

1

2

(6)

7 ...

...

8 ...

9 ...

10 ...

11 ...

ನಳ್ಳಿಗೆ ಬಿಲ್ಲ ಕಾರ್ಡ ಕ್ಯಾರಿಯರ್- ಕೊಂಕ ಕೆಸಳಿಲ ಕ್ಲೈಲ್ಲಕ್ಟ್ರಿಕ್ ಸಳಿಲ, ಲೈಟ್ಸ್ಟ್ರೀಟ್ಸ್ ಸ
ಲೈಟ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಸಳಿಲ್ಲ ಕ್ಲೈಲ್ಲ ಕಾರ್ಡ್ ಕ್ಯಾರಿಯರ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್
ಕ್ಯಾರಿಯರ್(1000) ಸಳಿಲ್ಲಕ್ಟ್ರಿಕ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್
ಟ್ರೀ -

12 ಕ್ರೀಡಾ ಕೊಂಬೆಕ್ಟರ್ ಅಕ್ಷರಾಂ ಅಲ್ಲ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್
ಪ್ಲಕುಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್
ಕ್ಲಾಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್
ಟ್ರೀ -

(a) ಕ್ಲೈಲ್ಲ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್
ಕುಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ (Malleable Metals) ಅಲ್ಲಿ
ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್
ಕ್ಲೈಲ್ಲಕ್ಟ್ರಿಕ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್
ಕ್ಲೈಲ್ಲಕ್ಟ್ರಿಕ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್
ಟ್ರೀ —

(b) ಕ್ಲೈಲ್ಲಕ್ಟ್ರಿಕ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್
ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್ ಕಾರ್ಡ್ಸ್ಟ್ರೀಟ್ಸ್
ಕ್ಲೈಲ್ಲಕ್ಟ್ರಿಕ

13

14

22-7 1946

President

ಸರು ಇವರುಗಳು ಮನೆಯ ನಲ್ಲಿಯನ್ನು ಮತ್ತು ಇತರೇ (Fittings) ಸಗ್ಗರೆ ಕೆಲಸಗಳನ್ನು ಆಜಮಾಯಿಷಿ ಮಾಡಲು ಅಯಾ ಪ್ರದೇಶದ ಅಧವಾ ಕಟ್ಟಡದ ಒಳಕ್ಕೆ ಪ್ರವೇಶಮಾಡಲು ಅಧ್ಯೀ ವಹಿಸಿದ ಸಂದರ್ಭದಲ್ಲಿ.

1ನೆ ಸರ್ವ ಜನರ ಉಪಯೋಗಕ್ಕೋಸ್ಕರ ಧರ್ಮಾರ್ಥವಾಗಿ ಖಾಸಗಿ ಜನಗಳು ತಮ್ಮ ಸ್ವಂತ ಖರ್ಚಿನಿಂದ ಇಟ್ಟಿರುವ ಅಧವಾ ಇಡಲ್ಪಡುವ ಫೌಂಟನ್‌ಗಳಿಗೆ ಮೇಲೆ ಹೇಳಿದ 2, ೩, 4, ೫, ೬, 7, ೮ ಮತ್ತು 12ನೇ ಜೈಲಾಗಳು ವ್ಯತ್ಯಾಸವಿಲ್ಲದೆ ಅನ್ವಯಿಸುತ್ತವೆ

14 1ರ ಲಾಗಾಯ್ತು 53 ವರೆಗಿನ ಜೈಲಾಗಳಲ್ಲಿ ಯಾವುದಕ್ಕಾದರೂ ವಿರೋಧವಾಗಿ ಯಾರಾದರೂ ನಡಿಸಿದಲ್ಲಿ ೧೫ ರೂಪಾಯಿಗೆ ಮೀರದ ದಂಡಾನೆ ಕೊಡಲು ಬದ್ಧನಾಗಿ ಇರುತ್ತಾನೆ

Dharwar 22—7—1918 (ಸಹಿ) Anand Rao, S Sirsi, President

ನೋಟೀಸು.

ದಾವಣಗೆರೆ ಪರ್ವ ಮ್ಯುನಿಸಿಪಲ್ ಆಫೀಸಿನಿಂದ

ಇದರಿಂದ ಸಮಸ್ತ ಜನಗಳಿಗೂ ತಿಳಿಯಪಡಿಸುವುದೇನೆಂದರೆ —

1 ನರಸಿಂಹರಾಜ ವಾಟರ್ ವರ್ಕ್ಸಿನಿಂದ ದಾವಣಗೆರೆ ಪರ್ವಕ್ಕೆ ನೀರು ಸರಬರಾಯಿ ಮಾಡತಕ್ಕ ವಿಚಾರದಲ್ಲಿ ಮ್ಯುನಿಸಿಪಲ್ ರೆಗ್ಯುಲೇಷನ್ 48 ನೆಯ ಸೆಕ್ಷನ್ (L M) ಕ್ಲಾಸ್ ಪ್ರಕಾರ ದಾವಣಗೆರೆ ಪರ್ವ ಮ್ಯುನಿಸಿಪಲ್ ಕೌನ್ಸಿಲ್ಲಿನವರು ತಯಾರುಮಾಡಿರತಕ್ಕ ಡ್ರಾಫ್ಟ್ಸ್ ಜೈಲಾಗಳನ್ನು ಈ ಕೆಳಗೆ ಕಂಡ ಸ್ಥಳಗಳಲ್ಲಿ ಇಡಿಸಿರುತ್ತೆ

2. ಈ ಬಾಬ್ತು ಯಾರಾದರೂ ತಕರಾರು ಅಧವಾ ಸಲಹೆಗಳಿದ್ದಲ್ಲಿ ಈ ನೋಟೀಸು ತಾರೀಖು ಆಗಾಯಿತು ಎರಡು ತಿಂಗಳ ಒಳಗೆ ನಡರಿ ತಕರಾರು ಯಾ ಸಲಹೆಗಳನ್ನು ಬರಹ ಮುಖಲಕ ಈ ಆಫೀಸಿಗೆ ಕಳುಹಿಸಿ ಕೊಡತಕ್ಕದ್ದು ಆಯಿದೆ ಗತಿಸಿದನಂತರ ಈ ಡ್ರಾಫ್ಟ್ಸ್ ಜೈಲಾಗಳನ್ನು ಮಂಜೂರಿ ಬಗ್ಗೆ ಗವರ್ನ್‌ಮೆಂಟಿಗೆ ರಿಪೋರ್ಟು ಮಾಡಿಸಿ ಕೊಡುತ್ತಿಲ್ಲದೆ ಜನಗಳಿಂದ ಬರತಕ್ಕೆ ತಕರಾರು ಅಂಗೀಕರಿಸುವುದಿಲ್ಲ ತಿಳಿಯುವುದು

3 ಡ್ರಾಫ್ಟ್ಸ್ ಜೈಲಾಗಳನ್ನು ಈ ಆಫೀಸಿನಲ್ಲಿ ಕಛೇರಿಯನ್ನು 2ರ ಲಾಗಾಯ್ತು ಸಾಯಂಕಾಲ 5 ಗಂಟೆ ವರೆಗೆ ನೋಡಿಕೊಂಡು ಹೋಗಬಹುದು ಈ ಜೈಲಾಗಳು ಪರ್ವ ಪ್ರ[illegible] ಸ್ಪೆಷಲ್ ಮತ್ತು ಅರ್ಜಿ [illegible] ಆಫೀಸಿನಲ್ಲಿ [illegible]

ದಾವಣಗೆರೆ, [illegible] Municipality

ದಾವಣಗೆರೆ ಪರ್ವ ಮುನಿಸಿಪಾಲಿಟಿ

ಮೈಸೂರು ಮುನಿಸಿಪಲ್ ರೆಗ್ಯುಲೇಷನ್ 48ನೆಯ ಸೆಕ್ಷನ್ (l)&(m) ಕ್ಲಾಸ್ ಪ್ರಕಾರ ದಾವಣಗೆರೆ ಪರ್ವಕ್ಕೆ ನರಸಿಂಹರಾಜ ವಾಟರ್ ವರ್ಕ್ಸಿನಿಂದ ನೀರು ಸರಬರಾಯಿ ಮಾಡತಕ್ಕ ಬಾಬ್ತು ದಾವಣಗೆರೆ ಪರ್ವ ಮುನಿಸಿಪಲ್ ಕೌನ್ಸಿಲರವರಿಂದ ತಯಾರ್ಮಾಡಲ್ಪಟ್ಟ ಡ್ರಾಫ್ಟ್ಸ್ ಜೈಲಾಗಳು —

1 ಯಾವ ಮನುಷ್ಯನು ಮುನಃಪೂರ್ವಕವಾಗಿ ಯಾಗಲೀ ಅಧವಾ ಅಜಾಗರೂಕತೆಯಿಂದಾಗಲೀ

(a) ನೀರು ಸರಬರಾಯಿ ಸಂಪ್ರಮ್ಮಂಧದಲ್ಲಿ ಮುನಿಸಿಪಾಲಿಟಿಯವರ ಆಡಳಿತಕ್ಕೆ ಒಳಪಟ್ಟ ಅಧವಾ ಸ್ವಾಧೀನದಲ್ಲಿರುವ ಯಾವ ಬೀಗ, ತಿರುಪು, ಮುಚ್ಚಳ, ನಲ್ಲಿ ಅಧವಾ ಇಂಜಿನ್ ಇವುಗಳನ್ನು ವ್ಯತ್ಯೇಕಿಸುವುದು, ಪಡೆಯುವುದು, ಛಿನ್ನ ಪಡಿಸುವುದು ಮತ್ತು ತೆಗೆಯುವುದು, ಈ ಕೆಲಸಗಳನ್ನು ಮಾಡಕೊಡದು

(b) ಯಾವ ನಲ್ಲಿ ಅಧವಾ ವಾಟರ್‌ವರ್ಕ್ಸ್ ಇವುಗಳಲ್ಲಿ ಬರತಕ್ಕ ನೀರನ್ನು ನೀರು ವ್ಯರ್ಥವಾಗಿ ಹೋಗುವಂತೆ ಅಧವಾ ಅಲ್ಲಿಯೇ ನಿಂತು ಅನಾರೋಗ್ಯಕ್ಕೆ ಅವಕಾಶವಾಗುವಂತೆ ತಗದುಕೊಳ್ಳಕೊಡದು, ಅಧವಾ ಹೆಚ್ಚಾಗಿ ಸುರಿಯಲು ಅವಕಾಶ ಕೊಡಕೊಡದು

(c) ವಾಟರ್‌ಮೇಕ್ ಅಧವಾ ನಲ್ಲಿಯಲ್ಲಿ ಬರತಕ್ಕ ನೀರನ್ನು ಅಡ್ಡಿಪಡಿಸಕೊಡದು, ಮತ್ತು ತಿರುಗಿಸ ಕೊಡದು ಅಧವಾ ಇವುಗಳನ್ನು ಇನ್ಯಾವ ತರತೆಯಲ್ಲೂ ಒಡೆಯಲೂ ಅಧವಾ ಬದಲಾಯಿಸಲೂ ಕೊಡದು

2 ಮುನಿಸಿಪಾಲಿಟಿಯಿಂದ ಸರಬರಾಯಿ ಆಗತಕ್ಕ ನೀರು ಮುಖ್ಯವಾಗಿ ಮನೆಯ ಬಳಿಕೆಗೋಸ್ಕರ ವಾಗಿರುತ್ತೆ ಅದ್ದರಿಂದ ಪಬ್ಲಿಕ್ ನಲ್ಲಿಯಿಂದ ತೋಟಕ್ಕೆ ನೀರು ಹಾಯಿಸಲು ಅಧವಾ ಕಟ್ಟಡಗಳಿಗೆ ನೀರನ್ನು ತೆಗೆದುಕೊಳ್ಳಲೂ ಕೂಡದು ಇಂಥಾ ಸಂದರ್ಭದಲ್ಲಿ ಮುನಿಸಿಪಲ್ ಕೌನ್ಸಿಲರ್‌ಗಳು, ಗೊತ್ತುಮಾಡಬಹುದಾದ ದಂಡಾ ಧಿಕಾರ್ತ್ತಗಳಿಗೆ ಒಳಪಟ್ಟ ವೆನಿಬಲಗು ಖಾಪತಿಯಾಡಿ ಪೈನಿಡೆಂಟ್‌ರಿಂದ ಬರಹ ಮುಖಲರ್ವಾದ ಮಂಜೂರಿಯನ್ನು ಮುಂಚಿತವಾಗಿ ಪಡೆಯಬೇಕು.

3 ಈ ಕೆಲಸಕ್ಕೋಸ್ಕರವೆಂದು ಗೊತ್ತು ಮಾಡದೇ ಇರುವ ಪಬ್ಲಿಕ್ ನಲ್ಲಿಗಳಲ್ಲಿ ಯಾರೂ ಸ್ನಾನ ಮಾಡಲೂ ಕೂಡದು ದನಗಳನ್ನೂ, ಗಾಡಿಯನ್ನೂ, ಬಟ್ಟೆಗಳನ್ನೂ ಅಧವಾ ಪಾತ್ರೆಗಳನ್ನೂ ತೊಳೆಯು ಕೊಡದು

4 ನಲ್ಲಿಯು ಸ್ಪ್ರಿಂಡು ಪೈಪ್ಸುಗಳನ್ನು ಯಾ ವ್ಯಾಪಾರಾರಂಭವನ್ನು ಕೆಡಿಸಿ ಲುಕ್ಸಾನು ಮಾಡುವಂತೆ ಅಧವಾ ನಿರುಪಯೋಗವಾಗುವಂತೆ ಯಾವ ಕೆಲಸಗಳನ್ನೂ ಮಾಡಕೊಡದು ಅಧವಾ ವ್ಯಾಪಾರದಿಂದ ನೀರು [illegible] ಕೆಲಸಗಳನ್ನು

೫ ಮುನಿಸಿಪಾಲಿಟಿಯವರು ನೋಟೀಸು ಮೂಲಕ ಗೊತ್ತುಮಾಡಿರತಕ್ಕ ಸ್ಥಳಗಳಲ್ಲಿ ವಿನಹ ಬಾಕಿ ಪಬ್ಲಿಕ್ ನಲ್ಲಿಯಾ ಕೊಳಾಯಿಯಿಂದ ಜನಗಳಿಗೆ ನೀರು ಹಾಕಕೊಡದು

6 ಜನಗಳ ಉಪಯೋಗಕ್ಕೆ ಲಾಯಕ್ಕಿಲ್ಲವೆಂದು ತೋರಿದಾಗ ಪಬ್ಲಿಕ್ ನೋಟೀಸು ಕೊಟ್ಟು ನೀರು ಸರಬರಾಯಿಯನ್ನು ಮುನಿಸಿಪಾಲಿಟಿಯವರು ಯಾವಾಗಲಾದರೂ ನಿಲ್ಲಿಸಬಹುದು

7 ಪ್ರೆಸಿಡೆಂಟರಾಗಲೀ ಅಥವಾ ಅವರಿಂದ ಅಧಿಕಾರ ಹೊಂದಿದ ಏಜಂಟರಾಗಲೀ ಪಬ್ಲಿಕ್ ಮೇಳ್ ಅಥವಾ ಸೆಟ್ ಮೇಳ್‌ನಲ್ಲಿ ನೀರು ಸರಬರಾಯಿಯನ್ನು ಯಾವ ನೋಟೀಸೂ ಕೊಡದೆ ರಿಪೇರಿಗೆ ಅಥವಾ ಹೊಸದಾಗಿ ನಲ್ಲಿ ಹಾಕುವುದಕ್ಕೆ ನಲ್ಲಿಗಳಲ್ಲಿ ನೀರು ಸರಬರಾಯಿಯನ್ನು ನಿಲ್ಲಿಸಲು ಅಥವಾ ಕಮ್ಮಿಮಾಡಲು ಅಧಿಕಾರ ಹೊಂದಿದ್ದಾರೆ ಆದರೆ ನಿಲ್ಲಿಸತಕ್ಕದ್ದು ವಿಶೇಷ ಸ್ಥಳಗಳಲ್ಲಾದರೆ ಅಥವಾ ಮುಂಜಾಗ್ರತೆಯಾಗಿ ಕಾಣುವಂಥಾ ಸಂದರ್ಭಗಳಲ್ಲಿ ದಂಡೋರೆ ಮೂಲಕ ಅಯಾಯ ಸಂದರ್ಭಕ್ಕನುಸಾರವಾಗಿ ಮುಂಚಿತವಾಗಿ ನೋಟೀಸು ಕೊಡಲ್ಪಡುತ್ತ

8 ಮನೆಗಳಿಗೆ ನಲ್ಲಿ ಇಟ್ಟುಕೊಳ್ಳಲು ಅಯಾಯ ಮನೆ ವಾಲೀಕರು ದರಖಾಸ್ತುಗಳನ್ನು ಪ್ರೆಸಿಡೆಂಟರ ವರಿಗೆ ಕೊಡಬಹುದು ಪ್ರೆಸಿಡೆಂಟರವರು ಅಂಥಾ ದರಖಾಸ್ತುಗಳನ್ನು ಫೈಸಲ್ಮಾಡಲು ಅಧಿಕಾರ ಉಳ್ಳವರಾಗಿದ್ದಾರೆ ಮುನಿಸಿಪಲ್ ಆಫೀಸರ್ ಅಥವಾ ಪಬ್ಲಿಕ್ ನರ್ಕ್ಸ್ ಆಫೀಸರವರಿಂದ ತಯಾರ್ಮಾಡಲ್ಪಟ್ಟ ಅಂದಾಜು ಪ್ರಕಾರ ಮನೆಗೆ ನಲ್ಲಿ ಇಡಿತಕ್ಕ ಬರ್ಚ್‌ನ್ನು ಆ ಮನೆ ವಾಲೀಕನು ಪ್ರೆಸಿಡೆಂಟರವರಲ್ಲಿ ಲೆಸನ್ಸ್ ಪ್ರಾರಂಭ ಮಾಡುವುದಕ್ಕೆ ಮುಂಚೆ ಹಾಜರ್ಮಾಡಬೇಕು ಎಲ್ಲಾ ದರಖಾಸ್ತುಗಳನ್ನೂ 25 ರೂಪಾಯಿ ಡಿವಾಜಿಟ್ಟಿನೊಂದಿಗೆ ಹಾಜರು ಮಾಡತಕ್ಕದ್ದು. ಸಂತೆ ಇಡಸನ್ನು ಮನೆಗ ನಲ್ಲಿ ಇಟ್ಟ ಬರ್ಚಿಗೆ ಬರ್ತಿಮಾಡಲ್ಪಡುತ್ತ

9. ಇನ್ನೊಂದು ಬದಲಾವಣೆ ಮಾಡುವವರಿಗೆ ಮನೆಗಳಿಗೆ ಜೇಕಾದ ನಲ್ಲಿಗಳನ್ನು ಜೀವಿ ನಲ್ಲಿಗಳಿಗೆ ನೀರಿನ ಸರಬರಾಯಿ ಅನಾನುಕೂಲತೆ ಏನೂ ಇಲ್ಲದೇ ಇರತಕ್ಕಂಥಾ ಸ್ಥಳಗಳಲ್ಲಿ ಸಾಲಿಯಾನ ಐದು ರೂಪಾಯಿಗ ಕಮ್ಮಿ ಇಲ್ಲದೆ ಮನೆ ತರಿಗೆಯನ್ನು ಪಾವತಿ ಮಾಡುವ ಮತ್ತು ಮನೆಯಲ್ಲಿನ ನಲ್ಲಿಗಳಿಂದ ಚೆಲ್ಲತಕ್ಕ ನೀರು ಮುನಿಸಿಪಲ್ ಚರಂಡಿಗೆ ಹರಿದು ಹೋಗುವ ಹಾಗೆ ಸರಿಯೆನಿಸಿದ ಏರ್ಪಾಟು ಮಾಡಲು ಅನುಕೂಲವಿರುವ ಮನೆಗಳಿಗೆ ಮಾತ್ರ ನಲ್ಲಿಗಳು ಕೊಡಲ್ಪಡುತ್ತ

10. ಪ್ರತಿ ಮನೆಗೂ ಅರ್ಧ ಅಥವಾ ಮುಕ್ಕಾಲು ಇಂಚ್ ನಲ್ಲಿಯು ಕೊಡಲ್ಪಡುತ್ತ, ಮತ್ತು ಇದಕ್ಕೆ ಮಾಹಯಾನಾ 1-8-0 ಅಥವಾ ಎರಡು ರೂಪಾಯಿ ತರಿಗೆ ದಾಖಲ್ಮಾಡುತ್ತ ಆರು ತಿಂಗಳಿಗೆ ಆಡ್ವಾನ್ಸಾಗಿ ವಸೂಲ್ಮಾಡಲ್ಪಡುತ್ತ

11 ½ ಇಂಚ್ ತಗಡು ಕೊಳ್ಳತಕ್ಕ ಮನೆಗಳಿಗೆ ಮೂರು ಟ್ಯಾಪುಗಳಿಗೆ ವಿಾರದಂತ ದೊಡ್ಡ ಸೈಜು ನಲ್ಲಿಗ ನಾಲ್ಕು ಟ್ಯಾಪುಗಳಿಗೆ ವಿಾರದಂತೆ ಕೊಡಬಹುದು ಮನೇ ಬಳಿಕೆಗೆ ಅಲ್ಲದ ಇತರ ಉಪಯೋಗಗಳಿಗೆ ಜೇಕಾದ ಅಂದರೆ ತೋಟಗಳು, ಫ್ಯಾಕ್ಟರಿಗಳು, ಪ್ರೆಸ್ಸುಗಳು ವಗ್ಯೆರೆಗಳಿಗೆ ಜೇಕಾದ ನಲ್ಲಿಗಳಲ್ಲಿ ನೀರು ವಿಾಟರಿನಿಂದ ಅಳತ ಮಾಡಿ (1000) ಸಾವಿರ ಗ್ಯಾಲನ್‌ಗೆ ಹನ್ನೆರಡಾಣೆಯಂತೆ ಛಾರ್ಜ್ ಮಾಡಲ್ಪಡುತ್ತ

12 ಪ್ರೆಸಿಡೆಂಟರು ಅಥವಾ ಇವರಿಂದ ಅಧಿಕಾರ ಹೊಂದಿದ ಏಜಂಟರು, ಈ ರೆಳಗೆ ಕಂಡ ಸಂದರ್ಭದಲ್ಲಿ ಮನೆಗೆ ನಲ್ಲಿ ನೀರನ್ನು ಕೊಡುವದನ್ನು ನಿಲ್ಲಿಸಲು ಅಧಿಕಾರವುಳ್ಳವರಾಗಿರುತ್ತಾರೆ

(a) ಈ ರೂಲ್ಸುಗಳ ವ್ಯತಿರಿಕ್ತ ಕೊಡಬೇಕಾದ ನೀರಿನ ತರಿಗೆ ಮತ್ತು ಇತರ ವೆಚ್ಚಬಲಗನ್ನು ಅಥವಾ (Meters) ಅಳತ ಮಾಡುವ ಯಂತ್ರವನ್ನು ರಿಪೇರಿ ಮಾಡಿದ ಬಗ್ಯೆ ತಗಲಿದ ಖರ್ಚಿಗೆ ಕೊಟ್ಟ ಬಿಲ್ಲು ವೆಚ್ಚಬಲಗನ್ನು ಕೊಡಲು ಬರಹ ಮೂಲಕ ಅಥವಾ ಬಿಲ್ಲು ಮೂಲಕ ಕೇಳಲ್ಪಟ್ಟ ಇಪ್ಪತ್ತು ದಿವಸಗಳ ವಳಗೆ ದಾವತಿಮಾಡದೇ ತಪ್ಪಿದಲ್ಲಿ,

(b) ನಲ್ಲಿಯನ್ನು ಇಟ್ಟುಕೊಂಡಿರುವ ಮನೆಯ ಖಾತೇದಾರನಾಗಲೀ ಅಥವಾ ವಾಸಸ್ಥನೇ ಆಗಲೀ ಮನೆಗೆ ನಲ್ಲಿಯನ್ನು ಕೊಟ್ಟ ಪರತ್ತುಗಳಿಗೆ ವಿರೋಧವಾಗಿ ನೀರನ್ನು ಇತರೇ ಲೆಸನ್ಸಗಳಿಗೆ ಉಪಯೋಗಿಸುವದು, ಅಥವಾ ಉಪಯೋಗಿಸಲು ಸವ್ಮತಿಕೊಡುವದು, ಇಂಥಾ ಸಂದರ್ಭದಲ್ಲಿ ಆರು ದಿವಸಕ್ಕೆ ಮುಂಚೆ ಬರಹ ಮೂಲಕ ನೋಟೀಸು ಕೊಟ್ಟ ನಂತರ,

(c) ಮನೆಯ ನಲ್ಲಿಗಳು ಕೆಡೆದುಹೋಗಿ ನೀರು ಸೋರುತ್ತಿದ್ದು ಅಥವಾ ಇನ್ಯಾವುದಾದರೂ ನ್ಯೂನತೆಗಳಿದ್ದು ಮುನಿಸಿಪಾಲಿಟಿಗೆ ನಷ್ಟವಾಗುತ್ತಿರುವ ಸಂದರ್ಭವಿದ್ದರೆ 2 ದಿವಸಕ್ಕೆ (48 ಘಂಟೆಗಳು) ಮುಂಚೆ ನೋಟೀಸು ಕೊಟ್ಟಲ್ಲಿ,

(d) ನೀರು ವ್ಯರ್ಥವಾಗಿ ಹೋಗಲು, ಅವಕಾಶ ಕೊಡಕೊಡವಾಗಿ ಮನೆಯ ಖಾತೇದಾರ ಅಥವಾ ವಾಸಸ್ಥನಿಗೆ ಬರಹ ಮೂಲಕ ನೋಟೀಸು ಕೊಟ್ಟು ಎಚ್ಚರಿಸಿವಾಗ್ಯೂ ಇದಕ್ಕೆ ನಿಗಾ ಕೊಡದೇ ಇದ್ದಲ್ಲಿ,

(e) ನಲ್ಲಿಗಳು ಅಥವಾ ಇತರ ಸಾಮಾನುಗಳು, ಮುರಿದು ಹೋಗಿ ನೀರು ನಷ್ಟವಾಗುತ್ತಿದ್ದಲ್ಲಿ ಅಥವಾ ಮನೆಗಳಿಗೆ ಅಪಾಯವುಂಟಾಗುವ ಸಂದರ್ಭ ವಿದ್ದಲ್ಲಿ ಈ ಬಗ್ಯೆ ಅಯಾಯ ಸಂದರ್ಭಕ್ಕನುಕೂಲವಾದ ನೋಟೀಸು ಕೊಟ್ಟ ನಂತರ,

(f) ಪ್ರೆಸಿಡೆಂಟರು ಅಥವಾ ಅವರಿಂದ ಅಧಿಕಾರ ಪೊಂದಿದ ಏಜಂಟರು ಅಥವಾ ಮುನಿಸಿಪಲ್ ಆಫೀ



ನೋಂದಣಿ

ಮಾರಾಟ ಕರಾರು ಜಾರಿಯಲ್ಲಿರುವ ಅವಧಿಯಲ್ಲಿ ಆಸ್ತಿಯ ಸಂಬಂಧದಲ್ಲಿ ಕೆಳಕಂಡ ಷರತ್ತುಗಳನ್ನು ಪಾಲಿಸಲು ಪರಸ್ಪರ ಒಪ್ಪಿರುತ್ತೇವೆ.

(1) ಕರಾರಿಗೆ ಅನುಬಂಧವಾಗಿ ಸೇರಿರುವ ಆಸ್ತಿಯ ಮಾರಾಟ ಕರಾರಿನಲ್ಲಿ ಒಳಗೊಂಡಿರುವ ಆಸ್ತಿಯ ಸಂಬಂಧದಲ್ಲಿ ಮಾರಾಟಗಾರರು ಮತ್ತು ಕೊಳ್ಳುವವರ ನಡುವೆ ಆಗಿರುವ ಒಪ್ಪಂದಗಳನ್ನು ಈ ಕರಾರಿನಲ್ಲಿ ಸೇರಿಸಿದ್ದು ಅವುಗಳು ಈ ಕರಾರಿನ ಭಾಗವಾಗಿರುತ್ತವೆ.

(2) ಈ ಮಾರಾಟ ಕರಾರಿನಲ್ಲಿ ಒಳಗೊಂಡಿರುವ ಆಸ್ತಿಯ ಸಂಬಂಧದಲ್ಲಿ ಕೊಳ್ಳುವವರು ಮಾರಾಟಗಾರರಿಗೆ ಪೂರ್ಣ ಪ್ರಮಾಣದ ಕ್ರಯವನ್ನು ಪಾವತಿಸಿದ ನಂತರ ಮಾರಾಟಗಾರರು ಆಸ್ತಿಯ ಸಂಬಂಧದಲ್ಲಿ ಕೊಳ್ಳುವವರಿಗೆ ಕ್ರಯಪತ್ರವನ್ನು ನೋಂದಾಯಿಸಿ ಕೊಡಲು ಒಪ್ಪಿರುತ್ತಾರೆ. ಕ್ರಯಪತ್ರವನ್ನು ನೋಂದಾಯಿಸಿ ಕೊಡುವ ಸಂದರ್ಭದಲ್ಲಿ ಆಸ್ತಿಯ ಸಂಬಂಧದಲ್ಲಿ ಯಾವುದೇ ಬಾಕಿ ಕಂದಾಯ ಇರುವುದಿಲ್ಲವೆಂದು ಮಾರಾಟಗಾರರು ಖಾತರಿ ಪಡಿಸಿಕೊಳ್ಳುವುದು.

(3) ಈ ಕರಾರಿನಲ್ಲಿ ಒಳಗೊಂಡಿರುವ ಆಸ್ತಿಯ ಸಂಬಂಧದಲ್ಲಿ ಯಾವುದೇ ಬಾಕಿ ಕಂದಾಯ ಇರುವುದಿಲ್ಲವೆಂದು ಮಾರಾಟಗಾರರು ಖಾತರಿ ಪಡಿಸಿಕೊಳ್ಳುವುದು. ಈ ಆಸ್ತಿಯ ಸಂಬಂಧದಲ್ಲಿ ಕೊಳ್ಳುವವರು ಮಾರಾಟಗಾರರಿಗೆ ಪೂರ್ಣ ಪ್ರಮಾಣದ ಕ್ರಯವನ್ನು ಪಾವತಿಸಿದ ನಂತರ ಆಸ್ತಿಯ ಸಂಬಂಧದಲ್ಲಿ ಯಾವುದೇ ಬಾಕಿ ಕಂದಾಯ ಇದ್ದಲ್ಲಿ ಅದನ್ನು ಮಾರಾಟಗಾರರು ಪಾವತಿಸಿ ಕೊಡುವುದು.

ಕೆ 923 7 18 }
ಮಾರಾಟಗಾರರು.

Purchaser

— [illegible] —

[illegible]

(ఎ) [illegible]

(బి) [illegible]

(సి) [illegible]

[illegible]

(6) ಒಂದು ಸಮಸ್ಯೆಯನ್ನು ಪರಿಹರಿಸಲು ಕೆಲವು ಹಂತಗಳು: ಸಮಸ್ಯೆಯನ್ನು ಅರ್ಥಮಾಡಿಕೊಳ್ಳಿ, ಸಂಭವನೀಯ ಪರಿಹಾರಗಳನ್ನು ಪಟ್ಟಿ ಮಾಡಿ, ಪ್ರತಿಯೊಂದನ್ನು ಮೌಲ್ಯಮಾಪನ ಮಾಡಿ, ಅತ್ಯುತ್ತಮವಾದದನ್ನು ಆರಿಸಿ, ಅದನ್ನು ಕಾರ್ಯಗತಗೊಳಿಸಿ ಮತ್ತು ಫಲಿತಾಂಶಗಳನ್ನು ಪರಿಶೀಲಿಸಿ.

(7) ಸ್ಪೈಡರ್ ಪೇಪರ್‌ಗಳನ್ನು ಅಕ್ಕಪಕ್ಕದಲ್ಲಿ ಇರಿಸಿ ಮತ್ತು ಅವುಗಳ ಮೇಲೆ ಸಮಾನ ಸಂಖ್ಯೆಯ ಚುಕ್ಕೆಗಳನ್ನು ಎಳೆಯಿರಿ. ಪ್ರತಿ ಜೋಡಿ ಚುಕ್ಕೆಗಳನ್ನು ಸಂಪರ್ಕಿಸಲು ಒಂದು ಸಾಲನ್ನು ಎಳೆಯಿರಿ, ಆದರೆ ಯಾವುದೇ ಎರಡು ಸಾಲುಗಳು ಛೇದಿಸದಂತೆ ನೋಡಿಕೊಳ್ಳಿ. ಸಾಧ್ಯವಾದಷ್ಟು ಹೆಚ್ಚು ಜೋಡಿಗಳನ್ನು ಸಂಪರ್ಕಿಸಲು ಪ್ರಯತ್ನಿಸಿ.

(8) ಒಂದು ಸಮಸ್ಯೆಯನ್ನು ಪರಿಹರಿಸಲು ಹಲವು ಮಾರ್ಗಗಳಿವೆ. ಕೆಲವು ಸಮಸ್ಯೆಗಳಿಗೆ ಒಂದಕ್ಕಿಂತ ಹೆಚ್ಚು ಪರಿಹಾರಗಳಿವೆ. ಕೆಲವು ಸಮಸ್ಯೆಗಳಿಗೆ ಪರಿಹಾರವೇ ಇಲ್ಲ. ಕೆಲವು ಸಮಸ್ಯೆಗಳಿಗೆ ಪರಿಹಾರವಿದೆ ಎಂದು ಸಾಬೀತುಪಡಿಸಬಹುದು, ಆದರೆ ಅದನ್ನು ಕಂಡುಹಿಡಿಯಲು ಸಾಧ್ಯವಿಲ್ಲ. ಕೆಲವು ಸಮಸ್ಯೆಗಳಿಗೆ ಪರಿಹಾರವಿದೆ ಎಂದು ಸಾಬೀತುಪಡಿಸಬಹುದು, ಆದರೆ ಅದನ್ನು ಕಂಡುಹಿಡಿಯಲು ಸಾಧ್ಯವಿಲ್ಲ.

(9) ಒಂದು ಸಮಸ್ಯೆಯನ್ನು ಪರಿಹರಿಸಲು ಹಲವು ಮಾರ್ಗಗಳಿವೆ. ಕೆಲವು ಸಮಸ್ಯೆಗಳಿಗೆ ಒಂದಕ್ಕಿಂತ ಹೆಚ್ಚು ಪರಿಹಾರಗಳಿವೆ. ಕೆಲವು ಸಮಸ್ಯೆಗಳಿಗೆ ಪರಿಹಾರವೇ ಇಲ್ಲ. ಕೆಲವು ಸಮಸ್ಯೆಗಳಿಗೆ ಪರಿಹಾರವಿದೆ ಎಂದು ಸಾಬೀತುಪಡಿಸಬಹುದು, ಆದರೆ ಅದನ್ನು ಕಂಡುಹಿಡಿಯಲು ಸಾಧ್ಯವಿಲ್ಲ. ಕೆಲವು ಸಮಸ್ಯೆಗಳಿಗೆ ಪರಿಹಾರವಿದೆ ಎಂದು ಸಾಬೀತುಪಡಿಸಬಹುದು, ಆದರೆ ಅದನ್ನು ಕಂಡುಹಿಡಿಯಲು ಸಾಧ್ಯವಿಲ್ಲ.

10 ಕೆಳಗಿನ ಚಿತ್ರದಲ್ಲಿ ತೋರಿಸಿರುವಂತೆ ಒಂದು ಆಯತಾಕಾರದ ಕಾಗದದ ತುಂಡನ್ನು ತೆಗೆದುಕೊಳ್ಳಿ. ಆಯತದ ಉದ್ದವು ಅಗಲಕ್ಕಿಂತ ಸ್ವಲ್ಪ ಹೆಚ್ಚಿರಬೇಕು. ಆಯತದ ಮಧ್ಯದಲ್ಲಿ ಒಂದು ಸಮತಲ ರೇಖೆಯನ್ನು ಎಳೆಯಿರಿ. ಆಯತದ ಮೇಲಿನ ಅಂಚನ್ನು ಮಧ್ಯದ ರೇಖೆಯ ಕಡೆಗೆ ಮಡಿಸಿ, ಅದು ಮಧ್ಯದ ರೇಖೆಯನ್ನು ಮುಟ್ಟುವಂತೆ ಮಾಡಿ. ಆಯತದ ಕೆಳಗಿನ ಅಂಚನ್ನು ಮಧ್ಯದ ರೇಖೆಯ ಕಡೆಗೆ ಮಡಿಸಿ, ಅದು ಮಧ್ಯದ ರೇಖೆಯನ್ನು ಮುಟ್ಟುವಂತೆ ಮಾಡಿ. ಆಯತದ ಎಡ ಅಂಚನ್ನು ಮಧ್ಯದ ರೇಖೆಯ ಕಡೆಗೆ ಮಡಿಸಿ, ಅದು ಮಧ್ಯದ ರೇಖೆಯನ್ನು ಮುಟ್ಟುವಂತೆ ಮಾಡಿ. ಆಯತದ ಬಲ ಅಂಚನ್ನು ಮಧ್ಯದ ರೇಖೆಯ ಕಡೆಗೆ ಮಡಿಸಿ, ಅದು ಮಧ್ಯದ ರೇಖೆಯನ್ನು ಮುಟ್ಟುವಂತೆ ಮಾಡ

11 [illegible]

[illegible] (1000) [illegible]

12 [illegible]

(a) [illegible] (dealers) [illegible]

(b) [illegible]

(c) [illegible]

(d) [illegible]

(e) [illegible]

(f) [illegible]

1918 ನೇ ಇಸವಿಯ ಫೆಬ್ರವರಿ ತಿಂಗಳ 22 ನೇ ತಾರೀಖು ಶುಕ್ರವಾರ ಸಂಜೆ 6 ಗಂಟೆಗೆ
ಕೆಳಕಂಡ ಸದಸ್ಯರುಗಳ ಸಭೆಯು ಸೇರಿತ್ತು.

ಅಧ್ಯಕ್ಷರು -

ಹಾಜರು ಶ್ರೀ ಎಂ. ಶಂಕರಪ್ಪನವರು ಬಿ.ಎ.ಬಿ.ಎಲ್.

ಕಾರ್ಯದರ್ಶಿಗಳು

ಹಾಜರು ಶ್ರೀ ಎಸ್. ಸುಬ್ಬರಾಯಶೆಟ್ಟಿಯವರು ಬಿ.ಎ.

ಮತ್ತಿತರ ಸದಸ್ಯರುಗಳು

ಹಾಜರು

1 ಶ್ರೀ ಆರ್. ವೆಂಕಟರಾಮಯ್ಯನವರು
2 ಎಂ. ಎಸ್. ಪುಟ್ಟಣ್ಣಯ್ಯನವರು
3 ಎಂ. ಶೇಷಾದ್ರಿಯವರು
4 ಕೆ. ಎಸ್. ವೆಂಕಟರಾಮಯ್ಯನವರು
5 ಎ. ಶಿ. ಶ್ರೀನಿವಾಸರಾಯರು
6 ಪಿ. ಕೆ. ಚಿಕ್ಕಣ್ಣಗೌಡರು
7 ಪಿ. ಎಸ್. ಶ್ರೀನಿವಾಸರಾಯರು
8 ಎಸ್. ಕೆ. ಪಿ. ಸುಬ್ಬರಾಯಶೆಟ್ಟಿಯವರು
9 ಎ. ಆರ್. ಶ್ರೀನಿವಾಸರಾಯರು
10 ಆರ್. ಎಸ್. ಶೆಟ್ಟಿಯವರು

ಗೈರು ಹಾಜರು

1 ಶ್ರೀ ಕೆ. ಎಸ್. ಶಂಕರಪ್ಪನವರು
2 ಕೆ. ಪಿ. ಎಸ್. ಶೆಟ್ಟಿ
3 ಶ್ರೀಮತಿ ಸರ್ವೇಸ್ಪಲ್ಲಿ ರಾಧಾಕೃಷ್ಣಯ್ಯನವರು
4 ಬಿ. ಎಸ್. ಪುಟ್ಟಸ್ವಾಮಿಗೌಡರು

ಈ ಸಭೆಯು ಕೆಳಕಂಡ ಕಾರ್ಯಗಳನ್ನು ಕೈಗೊಂಡಿತು.

ಅಧ್ಯಕ್ಷರು

8/1

DAVANGERI MUNICIPALITY.

Draft bye-laws regarding the Water Supply to the Town of Davangere from Narasimharaja Water Works framed by the Municipal Council under section 48 (L) and (M) of the Mysore Municipal Regulation VII of 1906.

1. No person shall wilfully or negligently-

(a) remove, break, injure, or open any lock, cock, valve, pipe, work or engine belonging to or under the control of the Municipality in connection with the Water supply, or

(b)flush or draw off any water in or derived from any such water work or do any act whereby the water in any pipe or water work is likely to be wasted or contaminated, or

(c) obstruct, divert, or in any way injure or alter any wate main or duct,

2. The water supplied by the Municipality is intented primarily for domestic use and therefore water from a public stand post or tap shall not be taken for garden irrigation or for building purposes In the latter case the previous sanction in writing of the President should be obtained on such payment and under such conditions as may b settled by the Municipal Council.

3. No person shall bathe, or wash any animal, vehicle, clothes or utensils at any public stand posts or taps, which are not specially set apart for the said purposes.

4. No person shall do any thing to damage or disfigure the stand-posts or platforms or to obstruct the free flow of water from the platform.

5. No person shall water any animal at any public stand pipe or cistern except at places prescribed by the Municipality for that purpose by notice posted thereat.

6. The Municipality may at any time, with previous public notice

notice stop the supply of water whenever it may appear to be unfit for use by the public.

7. The President of the Municipality or his authorised Agent shall have power to stop or reduce the supply in any public main or sub-main for repairs or renewals, without any notice But when stoppage is over an extensive area or is due to exigencies which can be foreseen such previous notice as is possible under the circumstances will be given by general Tom Tom.

8. Applications for attachments from the public mains are to be made to the President who is authorised of himself to comply with such requisitions by owners of property, who are required to lodge with him, the cost of the attachment as may be estimated for by the Municipal or public works officers before the work is begun. All applications should be accompanied with a deposit of Rs 25/- which will be adjusted towards the cost of attachment subsequently.

9. Until further orders, private house service connections will be limited to houses paying house tax of not less than Rs 5/- a year, in localities where a supply can be given without detriment to street service, provided there are facilities to make proper arrangements for draing off the waste water to the Municipal drains

10. Every house will be given a house connection of either ½" or ¾" pipe and will be charged Re. one and a half, or two respectively per month. The amount will be recovered along with the mohatarfa taxes in advance for six months.

11. For housestaking ½" connection, a maximum of three taps may be given and for the larger size four taps may be given. House connections for non-domestic purposes such as, garden, Factories, Presses etc, will be measured by meters and will be charged at 12 annas for 1000/- gallons

12. The President or his authorised Agent shall have the power to cut off the connection both to the private pipes and the public mains in the following cases -

(a) In default of payment of the water rates, and other charges due under the rules or of any bill presented on account of repairs to meters under rule 11 above within 20 days after the same shall have been demanded in writing or presented

(b) If any house owner or occupier who is supplied with water shall use or permit the use of water for purposes in violation of the conditions on which the connection is granted provided that six days' previous notice is given in writing.

(c) In cases of leakage of pipes or other defects in the private service arrangements likely to cause loss to Municipality provided 48 hours' notice is previously given.

(d) If water is allowed to run to waste after the owner or occupier has been warned (in printed or written notice) against allowing such waste.

(e) In any case of broken pipes or fittings causing loss of water or likely to cause damage to property when such notice as may be possible shall be given.

(f) In any case of refusal to allow the President or his authorised Agent or Municipal Officer to enter on any land or building for the purpose of inspecting service pipes fittings etc,

Bye laws

1, The ~~rules~~ 2, 3, 4, 5, 6, 7 and 12 stated above apply mutatis mutanlis to public street fountains which have been or may be allowed to be erected at the expense of private individuals for dedication to public use.

14. Any person on infringing any of the bye-laws from Nos 1 to 5 inclusive, shall be liable to be punished with a fine not exceeding Rs 10/- per day.

PRESIDENT
Davenport Municipality.

7/43

— దావాలలో తీర్పుకు ముందు ఉత్తర్వులు —

ఈ క్రింది నిబంధనలు ఆర్డర్ 41 రూల్ 1 లోని సబ్ రూల్ (1) + (2) క్లాజ్ ప్రకారం దావాలలో తీర్పు కంటే ముందు ఇవ్వబడే ఉత్తర్వులకు వర్తిస్తాయి. ఇవి ఆర్డర్ 43 రూల్ 1 లో పేర్కొనబడిన ఉత్తర్వులకు అదనంగా ఉంటాయి. ఈ ఉత్తర్వులు ఇవ్వడానికి కోర్టుకు విచక్షణాధికారం ఉంటుంది.

(i) ఏదైనా వస్తువు లేదా ఆస్తి వివాదాస్పదమైనప్పుడు, కోర్టు ఈ క్రింది ఉత్తర్వులు ఇవ్వవచ్చు —

(a) నిలుపుదలలో ఉన్న ఆస్తి సంబంధిత పక్షాలలో ఎవరి ఆధీనంలో ఉండాలో నిర్ణయించడానికి, లేదా ఆ ఆస్తిని కోర్టు ఆధీనంలోకి తీసుకోవడానికి, లేదా ఆస్తి పాడవకుండా, అమ్మకుండా, లేదా మార్చకుండా ఉండటానికి ఉత్తర్వులు ఇవ్వవచ్చు.

(b) ఏదైనా వస్తువు అమ్మకం ద్వారా తక్షణమే పాడయ్యే స్వభావం కలిగి ఉన్నట్లయితే, లేదా ఇతర సరైన కారణాల వల్ల, కోర్టు ఆ వస్తువును అమ్మడానికి ఆదేశించవచ్చు. ఆ అమ్మకం కోర్టు నిర్దేశించిన విధంగా జరగాలి.

(c) పైన పేర్కొన్న ఆస్తి నిలుపుదలలో ఉన్నట్లయితే, కోర్టు ఆ ఆస్తి నుండి వచ్చే ఆదాయాన్ని లేదా ఇతర లాభాలను ఎవరు పొందాలో నిర్ణయించడానికి ఉత్తర్వులు ఇవ్వవచ్చు.

కూడదు —

(2) దుని కిని వా ఒ ఓ ఓం ఓ ఓ ఓ

7)

8)

ಮಿಶ್ರಣಕ್ಕೆ ಸಾಕಷ್ಟು ನೀರನ್ನು ಸೇರಿಸಿ ಗಟ್ಟಿಯಾದ ಪೇಸ್ಟ್ ತಯಾರಿಸಿ ಕೊಳ್ಳಬೇಕು.

(9) ಈ ಪೇಸ್ಟ್‌ನ್ನು ಅದಿರಿನ ಮಾದರಿಯ ಮೇಲೆ ಸಮವಾಗಿ ಹರಡಿ ಅದರ ಮೇಲೆ ಮತ್ತೊಂದು ಅದಿರಿನ ಮಾದರಿಯನ್ನು ಇಟ್ಟು ಅದರ ಮೇಲೆ ಪೇಸ್ಟ್‌ನ್ನು ಹರಡಿ ಮತ್ತೊಂದು ಅದಿರಿನ ಮಾದರಿಯನ್ನು ಇಟ್ಟು ಅದರ ಮೇಲೆ ಪೇಸ್ಟ್‌ನ್ನು ಹರಡಿ ಮೂರು ಮಾದರಿಗಳನ್ನು ಒಂದರ ಮೇಲೊಂದು ಇಟ್ಟು ಅವುಗಳ ನಡುವೆ ಪೇಸ್ಟ್‌ನ್ನು ಹರಡಿ ಅವುಗಳನ್ನು ಒಂದಕ್ಕೊಂದು ಅಂಟಿಕೊಳ್ಳುವಂತೆ ಮಾಡಬೇಕು. ಹೀಗೆ ಮಾಡಿದ ಮಾದರಿಗಳನ್ನು ಒಣಗಿಸಿ ಗಟ್ಟಿಯಾಗಿಸಿ ಕೊಳ್ಳಬೇಕು.

(10) ಒಣಗಿಸಿದ ಮಾದರಿಗಳನ್ನು ½" ಅಥವಾ ¾" ಗಾತ್ರದ ಚೌಕಾಕಾರದ ತುಂಡುಗಳಾಗಿ ಮಾಡಿಕೊಳ್ಳಬೇಕು. ಪ್ರತಿಯೊಂದು ತುಂಡಿಗೆ ಮಾದರಿಯ ಸಂಖ್ಯೆ (ಸಿ.ಐ-೧) ಅಥವಾ ಕಾಗದದ ಚೀಟಿಯ ಮೇಲೆ ಸಂಖ್ಯೆಯನ್ನು ಬರೆದು ಅಂಟಿಸಿಕೊಳ್ಳಬೇಕು. ಆದರೆ ಸಂಖ್ಯೆಯು ಮಾದರಿಯ ಮೇಲೆ ಸ್ಪಷ್ಟವಾಗಿ ಕಾಣಿಸುವಂತೆ ಮಾಡಿಕೊಳ್ಳಬೇಕು.

(11) ½" ಗಾತ್ರದ ತುಂಡುಗಳನ್ನು ಕಲ್ಲು ಪುಡಿಮಾಡುವ ಯಂತ್ರದಲ್ಲಿ ಪುಡಿಮಾಡಿ ಅದನ್ನು ಕಬ್ಬಿಣದ ಜರಡಿಯಲ್ಲಿ ಜರಡಿಯಾಡಿಸಿ ಅದರಲ್ಲಿ ಸಿಕ್ಕಿದ ಪುಡಿಯನ್ನು ಪಡೆದುಕೊಳ್ಳಬೇಕು. ಜರಡಿಯಲ್ಲಿ ಸಿಕ್ಕಿದ ಪುಡಿಯಲ್ಲಿ ಅಪದ್ರವ್ಯಗಳಾದ ಕಬ್ಬಿಣದ ಅಂದರೆ, ಹೊಳೆಯುವ ಕಣಗಳು, ಕಬ್ಬಿಣದ ಕಣಗಳು, ಪ್ರೈ ಸ್ಟೋನ್‌ಗಳು ಇದ್ದಲ್ಲಿ ಬೇರ್ಪಡಿಸಿ ಪುಡಿಯನ್ನು ನೀರಿನಲ್ಲಿ ಮಿಶ್ರಣ ಮಾಡಿ ಅದರಿಂದ ಅಲಿಕೆಯ ಮಾದರಿಯನ್ನು ತಯಾರಿಸಿಕೊಳ್ಳಬೇಕು. ಪ್ರತಿ ಮಾದರಿಗೆ (1000) ಗ್ರಾಂ ತೂಕವಿರಬೇಕು. ಹೀಗೆ ಪ್ರತಿ

ತಪಶೀಲುಅಧಿಕಾರಿಯವರಿಂದ ಅರ್ಜಿಯ ಪ್ರಾಂಶಿದವರು ಯೀಳಿಸಲ್ಪಟ್ಟ ಪ್ರಶ್ನೆಗಳಿಗೆ ಉತ್ತರವನ್ನು ಪಡೆದ ನಂತರ ಅಥವಾ ಅಂಥ ಉತ್ತರವನ್ನು ಪಡೆಯಲು ಪ್ರಯತ್ನಿಸಿ

(ಎ) [illegible]

(ಬ) [illegible]

(13) [illegible]

(14) [illegible]

ಅಮೂಲ್ಯವಾದ ನಿಮ್ಮ ಸಲಹೆಗಳನ್ನು ಕ್ರೋಢೀಕರಿಸಿ
ಮಿಲಾದ ಜಿಲ್ಲಾ ಪರಿಸರ ಅಭಿವೃದ್ಧಿ ಸಮಿತಿಯ
ಮುಂದಿಡಲಾಗುವುದು. ( )

ಧನ್ಯವಾದಗಳೊಂದಿಗೆ

President,
Davangere Municipality

R S VI—G/32]

BJECT

No of letter revised to 11257

Section

File No 53-19

Serial No 411

AL AND REVENUE SECRETARIAT

( )

the 191 No R 6084

922-919

Date of issue 22-9-19

To the Deputy Comr., Colaba Dist

Signed by

Sir,

I am directed to forward with ~~in original~~ letter no 0830 25 6. 19 and its enclosure (bye laws) from the Executive Engr Water Supply Division re water supply bye-laws for the Dwarka Town and to request that the same may be placed before the Municipal Council of Dwarka for their resolution as to their willingness to adopt the additional proposed therein and early for the orders of Govt

over

2 The draft Type-Deeds (both English & Kannada) together with the records thereto received with your Letter No. C.178 ml/1819 dt 22-12-18, are herewith returned for return of the same along with the resolution of the Municipal Council & the Letter sent from this Office referred to therein & above.

Yours, &c.

Dy. Secy to Govt, Revenue.

List of enclosures

Copied by

Examined by

D 1741—GPE—60,000—19-3-19

Gus 159

G R S VI—G/32]

SUBJECT

Diary No of letter replied to

Section ml
File No 53-18
Serial No 13

GENERAL AND REVENUE SECRETARIAT
( )
the *191*

No RG4524
8/19.2.'20

Date of issue 19.2.20

To

Signed by Asst. H.V. Ramaswamy

The A.G. Chundikulam

Sir

In returning the rough draft by Engr. regarding the water supply to the Town of Jaffna received with your letter No. Ref 178 in C 9.20 dated the 6th January 1920 I am directed to point out that no provision has been made therein for the allowance of water

over

to hearing as per rule 11 of the

of the Bangalore City Civil
Copy of which is enclosed
herewith and to request you
to have the rule absolute with
costs throughout in the
terms of the Petition
and to award such
relief as under the circumstances
of the case may be
just and proper.

Yours

for Registrar

List

List of enclosures

Copied by

Examined by

W D&C—GPB—60 CC—15 11 16

Office of the Deputy Commissioner,
Chitaldrug District.
Dated Chitaldrug, 9th April 1920.

C. Venkata Rao Esquire B.A.,
Deputy Commissioner,
C H I T A L D R U G.

B. Ramaswamaiya Esquire B.A.,B.L.,
Secretary to the Government of
H. H. the Maharaja of Mysore,
Revenue Department, Bangalore.

Sir,

Adverting to your letter No R.9454/M1 53-18-13 dated t. February 1920 requesting that a rule similar to that of the ...loro City Municipal Bye-laws for the free allowance of water ...ouses may be caused to be incorporated in the draft bye-laws ...he Davangere municipalit , I have the honor to state that the ...ood bye-laws received with your letter were placed before the ...icipal Council, who are of opinion that no water metres need ...tted for a year to house connections and that special water ... should be levied for house connections at Rs 1-8-0 and 2-0-0 ... month, for ½" and ¾" connection respectively I am of opinion ... etres should not be dispensed with as otherwise there would ... incentive for economic use of water.

...law No. 23 is also proposed to be modified so that the ...nt contemplated therein may be inflicted on conviction ... Magistrate

...raft of the byelaws which reads after the aforesaid modifi- ... is forwarded for perusal together with an extract from ...ions of the ...icipal Council thereto

14

276:3

1920

From The Deputy Commissioner
Chanda Loong District

To The Secretary to Government
Revenue Department

Dated 9th April 1920

Despatched

Received

General No Refe 178 and 9/19-20

No

Enclosure No 3

12 APR 1920

Returning the [illegible]
draft bye-laws [illegible]
to the water supply
in the Bazargha [illegible]
together with an extra
from the resolution
of the Municipal
Meeting

draft

The revised byelaws received with your letter are herewith resubmitted.

I have the honor to be,

S I R,

Your most obedient servant,

Deputy Commissioner,

Chitaldrug District.

S.V.

DAVANGERE MUNICIPALITY.

Annexture to the docket No. 348 dated 2 4 '40 from the President, to the Deputy Commissioner Chitaldrug District.

(Bye-law 10).

For houses taking ½" connection, a maximum of 3 taps may be given and for the larger size four taps may be given. A fee of rupee one and a half for each ½" connection and rupees two for each ¾" connection will be charged. Connections for non-domestic purposes such as garden, factories, presses &c., will be charged at 12 annas per 1000 gallons.

In calculating charges under this clause the quantity of excess on any whole number of thousands of gallons shall not be charged for, if it is 500 gallons and under, but, shall be charged for, as if it were 1000 gallons when it is over 500 gallons.

(Bye-law No. 12).

For every connection given for non-domestic purposes, such as Garden, Factories, Presses etc, there shall be provided at the cost of the Municipality and maintained in due working order, a water meter for the accurate gauging of the water consumed.

(Bye-law No.22)

Any person infringing any of the bye-laws --- from 1 to 5 inclusive shall be liable to be punished with a fine not exceeding fifty rupees on conviction before a Magistrate.

HKR/1-4.
D.V.G.

PRESIDENT.

H Thomson, Engine, Subdn Officer, Dumka

కాపలా —

x x x

కుటుంబ పేరు House

ఈ కుటుంబము నివసించు గ్రామము లేక పట్టణము

ఇంటి నం. —

ఈ కుటుంబము నివసించు ఇంటి రక

Section 22 of the Act

Any person infringing any
of the provisions of this
section shall be liable
to be punished with a
fine not exceeding Rupees
a magistrate

[illegible]

[illegible]

[illegible]

× × ×

Sd/- [illegible]

President

Executive

Chairman

President

1/4/20

DAVANGERE MUNICIPALITY
Dept No
30 JUN 1919
Dept

Draft Bye-laws regarding the water Supply to the Town of Davangere from Narasimharaja Water Works framed by the Municipal Council under section 48 (L) of the Mysore Municipal Regulation VII of 1906.

1. No person shall wilfully or negligently-

(a) remove, break, injure, or open any lock, cock, valve, pipe, work or engine belonging to or under the control of the Municipalit in connection with the water supply; or

(b) flush or draw off any water in or derived from any such water work or do any act whereby the water in any pipe or water work is likely to be wasted or contaminated, or

(c) obstruct, divert, or in any way injure or alter any water main or duct;

2. The water supplied by the Municipality is intended primarily for domestic use and therefore water from a public stand post or tap.shall not be taken for garden irrigation or for building purposes In the latter case the previous sanction in writing of the President should be obtained on such payment and under such conditions as may be settled by the Municipal Council.

3. No person shall bathe, or wash any animal, vehicle, clothes or utensils at ary public stand posts or taps, which are not specia -ly set apart for the said purposes.

4. No person shall do anything to damage or disfigure the stand-posts or platforms or to obstruct the free flow of water from the - platform.

5. No person shall water any animal at any public stand pipe or cistern except at places prescribed by the Municipality for that purpose by notice pasted thereat.

6. The Municipality may at ary time, with previous public notice stop the supply of water whenever it may appear to be unfit for use by the public.

the Chief Engineer. The final connection between the private service pipes and the public water mains shall not be allowed until the work is inspected and passed by the Executive Engineer or his authorised agent.

(a) No alteration or extension shall be allowed without obtaining the sanction of the Water Supply Department and such work shall be carried out only by licensed plumbers.

(b) Repairs may however be carried out by owners of property after giving intimation to the Executive Engineer of the nature of repairs to be done, the work being entrusted to licensed plumbers only.

12. For every house connection, there shall be provided at the cost of the Municipality and maintained in due working order a water meter for the accurate gauging of the water consumed, (provided that the Executive Engineer, on the ground of cost, dispense with the erection of water meters in the case of very small houses not likely to consume more than the free allowance referred to in rule xx)

13. The water rate, meter rent, and other charges due under these rules are to be collected by the President of the Hunt Executive Engineer or his authorised agent, quarterly on bills prepared in his office. Owners of houses or property shall be solely responsible for the payment of all charges due under these rules, which shall be recoverable in the manner laid down in Chapter VIII of the Municipal Regulation. The President Executive Engineer may, however, receive payment from (1) Agent (2) a tenant. Such bills shall be presented by the Municipal Water Supply Department not later than the 20th of the month following the quarter to which they relate.

(a) He may facilitate the adjustment of accounts between landlords or proprietors and his tenant or occupiers, the former having, if required in writing, furnished a memo-

of the Chief

23

quarter since the preparation of the last bill in his office.

14. Arrangements will be made to read the meters as far as possible within the 5th of every month after due notice. The meter reader will leave with any available person in the house, a slip showing the consumption of water during the preceding month.

15. All complaints regarding the accuracy of the meter reading or the non-receipt of the slips referred to in rule 14 should be made in writing to the Executive Engineer within the 10 the month concerned, after which no complaints will be entertained.

16. Any owner or occupier of a house or property having a water connection who may suspect or dispute the accuracy of the measurements indicated by water meter, may apply to the Executive Engineer or his local representative or agent and have the meter tested on payment of a fee of Re. 1/- per test. If, on actual test, the quantity registered by the meter exceeds 10% of the current quantity, the fee will be refunded to the party concerned; otherwise, it will be credited to Government.

17. The Water Supply Department reserves to itself the right to test any meter for its own satisfaction at any time Due notice shall be, however, given to the owner of the house or property concerned.

18. If, on examination , any meter be found to be out of order and consequently not registering correctly, the consumption during the period since the last reading till the meter is repaired or a new meter is attached, shall be calculated at the average daily consumption of the last registered period during which, in the opinion of the Executive Engineer, the [illegible] meter was registering correctly and the consumption of water was not for any reason abnormal.

19. The Executive Engineer or his authorised agent may, at all reasonable times and with the permission of the owner (or, if permission be refused, after giving six hours' notice), enter any

G B S VI-11]

SUBJECT

76

Diary No of letter replied to.... 7897

Section Mul
File No 53-1
Serial No 15

General and Revenue Secretariat

( )

the 191

Proceedings of the Government of
His Highness the Maharaja of Mysore

Ensmul

Date of issue.. 17-5-1920

Read — Correspondence ending with letter No Ref 178/Mulg-20 dated 9th April 1920 from the Deputy Commissioner Dakshina Kannada, submitting for the approval of Govt the draft byelaws relating to the regulation of water supply to

Signed by order G.B Hebbar

this be

Printed?

treated as a standing order?

published in the Gazette English part?

translated?

placed at the disposal of the press?

published in the Gazette Kannada part?

Order Thereon: No.

Olcl

the Davangere Town from the Varasubharaja Water works, together with the resolution of the municipal Council thereon. order not — 13022-4 dt 17-5-20

The bye laws as revised are approved

(2) The proposals of the Davangere municipal Council regarding the limit imposed upon the no of taps for a house and the rates prescribed for water Connection as well as for deferring by a year the fixing of metres for house Connection are acceptable and are accordingly approved.

List of enclosures

Copied by

Examined by

G. R S 27]

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form.)

(3) Six printed copies of the bye laws be sub to Govt

Rev Deptt

To the ~~Chief Engineer~~ and The Deputy Commissioner Chitaldrug for the Committee to Govt